

	Application No.	Applicant(s)	
	10/604,595	TONG, ERNEST HENRY	
Notice of Allowability	Examiner	Art Unit	
	Harold Joyce	3749	
The MAILING DATE of this communication appeals all claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIP of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication IGHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to <u>June 24, 2005</u> .			
2. The allowed claim(s) is/are 1-12.	·		•
 3. Acknowledgment is made of a claim for foreign priority unall All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	e been received. e been received in Application No cuments have been received in this	national stage applica	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	MENT of this application.		
4. A SUBSTITUTE OATH OR DECLARATION must be subminformal patent application (PTO-152) which give			OTICE OF
 5. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the such sheet. 	son's Patent Drawing Review (PTO- s Amendment / Comment or in the C	Office action of ngs in the front (not the	e back) of
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL IN FOR THE DEPOSIT OF BIOLOGIC	must be submitted. I AL MATERIAL.	Note the
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application (PT	O-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary Paper No./Mail Da	•	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date	08), 7. Examiner's Amend	ment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statements 9. Other	ent of Reasons for Allo	owance
	<u>.</u>		

REASONS FOR ALLOWANCE

Page 2

1. The following is an examiner's statement of reasons for allowance: In regards to the United Kingdom patent, this patent fails to disclose supplying air to the secondary plenum by the primary plenum. In regards to Milojevic et al., this patent fails to show or fairly suggest an airflow detector near the paint spray applicator or an airflow velocity detector installed in the airflow between the secondary plenum outlet and the workpiece.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Harold Joyce whose telephone number is (571) 272-4876. The examiner can normally be reached on M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ira Lazarus can be reached on (571) 272-4877. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Primary Examiner
Art Unit 3749